CLAIM AMENDMENTS:

- 61. (Currently Amended) A pigmented nail enamel composition that comprises a pigmented nail enamel mixture of
- (i) a solution of a film-forming addition polymer, of ethylenically unsaturated monomers, in non-aqueous solvent selected from the group consisting of aliphatic ketones, aromatic ketones, aliphatic alcohols, aromatic alcohols, glycol ethers, esters, and benaoates, and
- (ii) 0.1-30%, by weight of the composition, of pigment comprising at least one member selected from the group consisting of iron oxides, D&C colors, FD&C colors, and titanium dioxide,

wherein

- a) the polymer consists of a copolymer of acrylic acid and butyl methacrylate that contains about 2-14 wt.% acrylic acid;
 - b) the polymer has a glass transition temperature in the range of 5 to 90° C;
 - c) the polymer constitutes about 5-95 wt.% of the composition; and
 - d) the composition is suitable for application to human nails.
- **64.** (Currently Amended) The nail enamel composition of claim 61 wherein the composition comprises 15-90 wt.% non-aqueous solvent.
- **66.** (Currently Amended) The nail enamel composition of claim 61 wherein the composition comprises 20-80 wt.% non-aqueous solvent.
- **68.** (Currently Amended) The nail-enamel composition of claim 61 wherein the solvent is comprised of ethyl acetate and butyl acetate.
- 81. (Currently Amended) The nail enamel composition of claim 61 wherein the composition also contains 0.1-25 wt.% nitrocellulose.

- **82.** (Currently Amended) The nail enamel composition of claim 61 wherein the composition also contains 0.5-5 wt.% nitrocellulose.
- **83.** (Currently Amended) The nail enamel composition of claim 61 wherein the copolymer has a molecular weight of about 68,000.
- **84.** (Currently Amended) The nail-enamel composition of claim 82 wherein the copolymer has a molecular weight of about 68,000.
- **85.** (Currently Amended) The nail enamel composition of claim 61 wherein the solvent is comprised of isopropanol.
- **86.** (Currently Amended) The nail enamel composition of claim 84 wherein the solvent is comprised of isopropanol.
- 87. (Currently Amended) The nail-enamel-composition of claim 61 wherein the composition also contains 0.5-20 wt.% of the pigment.
- **88.** (Currently Amended) The nail enamel composition of claim 86 wherein the composition also contains 1-15 wt.% of the pigment.